

Statistics Report 14534, Alcoholic beverage, liqueur, coffee, 63 proof

Report Date: July 05, 2017 01:52 EDT

Nutrient values and weights are for edible portion.

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|-----------------------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Proximates | | | | | | | | | | | | | |
| Water | g | 41.40 | 1 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Energy | kcal | 308 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/1986 |
| Energy | kJ | 1289 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 04/2005 |
| Protein | g | 0.10 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Total lipid (fat) | g | 0.30 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Ash | g | 0.10 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Carbohydrate, by difference | g | 32.20 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/1986 |
| Fiber, total dietary | g | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 04/1996 |
| Sugars, total | g | 32.20 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/2006 |
| Minerals | | | | | | | | | | | | | |
| Calcium, Ca | mg | 1 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|--------------------------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Iron, Fe | mg | 0.06 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Magnesium, Mg | mg | 3 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Phosphorus, P | mg | 6 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Potassium, K | mg | 30 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Sodium, Na | mg | 8 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Zinc, Zn | mg | 0.03 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Copper, Cu | mg | 0.040 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Manganese, Mn | mg | 0.017 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/1986 |
| Selenium, Se | µg | 0.3 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 12/1997 |
| Vitamins | | | | | | | | | | | | | |
| Vitamin C, total ascorbic acid | mg | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Thiamin | mg | 0.004 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|---------------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Riboflavin | mg | 0.012 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Niacin | mg | 0.144 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Pantothenic acid | mg | 0.000 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Vitamin B-6 | mg | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/1986 |
| Folate, total | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Folic acid | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 01/2001 |
| Folate, food | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Folate, DFE | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/2006 |
| Vitamin B-12 | µg | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/1986 |
| Vitamin B-12, added | µg | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 09/2004 |
| Vitamin A, RAE | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 06/2002 |
| Retinol | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 06/2002 |
| Vitamin A, IU | IU | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

Lipids

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|------------------------------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Fatty acids, total saturated | g | 0.106 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 16:0 | g | 0.078 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:0 | g | 0.019 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Fatty acids, total monounsaturated | g | 0.022 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:1 undifferentiated | g | 0.021 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 20:1 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Fatty acids, total polyunsaturated | g | 0.105 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:2 undifferentiated | g | 0.097 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:3 undifferentiated | g | 0.008 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Fatty acids, total trans | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 06/2015 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|----------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Cholesterol | mg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Other | | | | | | | | | | | | | |
| Alcohol, ethyl | g | 26.0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Caffeine | mg | 26 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 12/1997 |
| Theobromine | mg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 12/1997 |